

PRODUCTO JBL BAR 800 MK2

Información comercial del equipo y del fabricante o importador en Chile:

- **Fecha:** 22 – FEBRERO - 2026
- **Nombre comercial del equipo:** JBL BAR 800 MK2
- **Fabricante:** Harman International Industries Inc.
- **Importador o representante en Chile:** Intcomex Chile -
- **Correo electrónico de contacto:** consultas@intcomex.com
- **Sitio web:** <https://store.intcomex.com/es-xcl/home>



	Información
Tipo de equipo	Barra de sonido inalámbrica
Marca	JBL
Modelo	BAR 800 MK2
Tecnología o modulación	Wifi IEEE 802.11 a/b/g/n/ac/ax (2,4GHz / 5GHz) Bluetooth® 5.3 A2DP 1.3, AVRCP 1.5 Transmisor inalámbrico 2,4G
Frecuencias	Wifi 5G: 5,15 – 5,35 GHz, 5,470- 5,725 GHz, 5,725 – 5,825 GHz / Wifi: 2,4 GHz – 2412 – 2472 MHz / Bluetooth: 2400 MHz - 2483,5 MHz / Transmisor inalámbrico 2,4G: 2406 – 2474 MHz
Ganancia de Antena (dBi)	Wifi 5 GHz: Antena 1: 5150-5250MHz 3,69 dBi, 5250-5350MHz 3.68 dBi, 5470-5725MHz, 3.45 dBi, 5745-5825MHz 3.13dBi. Antena 2: 5150-5250MHz 3.11 dBi, 5250-5350MHz 2.77 dBi, 5470-5725MHz, 3.03 dBi, 5745-5825MHz 2.93dBi. Wifi 2.4 GHz: Antena 1: 1.95 dBi, Antena 2: 2.18dBi Bluetooth 2.35 dBi / Transmisor inalámbrico 2.4 G 2.40 dBi
P.I.R.E	Wifi 5G: 5,15-5,25 GHz <23 dBm, 5,25-5,35 y 5,47-5,725GHz <20 dBm, 5,725-5,825 GHz <14 dBm / Wifi 2,4G: <20 dBm / Bluetooth < 15 dBm / Transmisor inalámbrico < 5dBm
Módulos	Wifi IEEE 802.11a OFDM (64QAM, 16QAM, QPSK, BPSK), 802.11b DSSS (CKK, DQPSK, DBPSK), 802.11g OFDM (64QAM, 16QAM, QPSK, BPSK) 802.11n OFDM (64QAM, 16QAM, QPSK, BPSK), 802.11 Ac OFDM (256QAM, 64QAM, 16QAM, QSPK, BPSK) 802.11ax OFDM, OFDMA (1024QAM, 256QAM, 64QAM, 16QAM, QPSK, BPSK) / Bluetooth GFSK, π/4 DQPSK, 8 DPSK /Transmisor inalámbrico GFSK
Test reports:	Documentos adjuntos TestReports-JBLBAR800MK2

Declaración de conformidad:

Por este medio se declara que el equipo previamente individualizado cumple con las disposiciones establecidas en la Norma Técnica de Equipos de alcance reducido, aprobada por la resolución exenta N° 1.985, de 2017 y resolución exenta N° 737 de 2025, de la Subsecretaría de Telecomunicaciones, se anexan ensayos de laboratorio y la documentación asociada.

Características y ventajas

Sonido envolvente real con altavoces inalámbricos extraíbles

Nunca había sido tan fácil saltar al sonido envolvente real. Sin cables adicionales. Sin conexiones de alimentación. Solo tienes que levantar los altavoces envolventes y extraíbles de la barra de sonido — puedes hacerlo con una sola mano— y colocarlos detrás de ti en la habitación para disfrutar de un verdadero sonido envolvente. Así de sencillo. Tanto si estás viendo tu nuevo programa favorito como si estás organizando una noche de cine, las baterías de larga duración de los altavoces te permitirán disfrutar de un sonido envolvente y cinematográfico durante horas. Cuando hayas terminado, simplemente vuelve a colocarlos en la barra de sonido para cargarlos durante la noche.

Dolby Atmos®

Escucha cómo un avión se eleva por encima de tu cabeza. Siente a una multitud pasando por tu lado. O déjate llevar por la energía de tu lista de reproducción de baile. Escucha un sonido cinematográfico extraordinario desde todas las direcciones con la experiencia de audio 3D de Dolby Atmos®.

MultiBeam™ 3.0

Te sientes donde te sientes, estarás en el centro de la acción. Nuestro MultiBeam™ 3.0 ofrece un amplio escenario de sonido cinematográfico que hace que cada persecución a alta velocidad o escena de lucha épica cobre vida. Los haces de sonido llenan perfectamente tu sala para ofrecerte una reproducción de sonido realmente envolvente y realista.

PureVoice 2.0

No te pierdas ni una frase en voz baja ni un giro argumental susurrado. PureVoice 2.0 de JBL eleva y optimiza automáticamente el diálogo, basándose tanto en el sonido ambiente de la escena como en el volumen de la barra de sonido. Para que siempre oigas cada palabra, de forma clara y uniforme, con un sonido de calidad cinematográfica.

SmartDetails

Escucha todas las sutilezas de la mezcla de sonido de una película, como lo harías en el cine. Desde el crujido de una puerta hasta un grito lejano: experimenta cada detalle tal y como lo concibieron los cineastas en un campo de sonido claro y equilibrado gracias a la avanzada tecnología de mejora del sonido propia de JBL.

Transmisión

No querrás perderte ni un segundo del partido de tu equipo, ni siquiera cuando estés en la cocina preparando otra tanda de tapas. Lleva uno de los altavoces extraíbles e inalámbricos —o los dos, para sonido estéreo— y escucharás el mismo sonido de calidad cinematográfica que tu familia e invitados disfrutan en la otra habitación.

Escucha nocturna

Disfruta de tus programas o películas favoritos sin molestar a los demás. Solo tienes que colocar los altavoces extraíbles e inalámbricos delante de ti y utilizar la aplicación JBL ONE para activar la escucha nocturna. La barra de sonido y el subwoofer se silencian automáticamente, mientras que los altavoces ofrecen una íntima experiencia de audio de alta calidad solo para una persona. O dos.

Aplicación JBL ONE

Configura la barra de sonido con la aplicación JBL ONE y hazla tuya. Personaliza el sonido a tu manera con un ecualizador preciso, navega por tus aplicaciones de música favoritas y obtén actualizaciones de software para todas las funciones más recientes, directamente desde tu sofá.

Especificaciones técnicas

Especificaciones generales

- ▶ Sistema de sonido: 7.1 canales
- ▶ Alimentación eléctrica: 100 - 240 V CA; ~ 50/60 Hz
- ▶ Potencia de salida total del altavoz* (máx. 1 % THD): 780 W
- ▶ Potencia de salida de la barra de sonido** (máx. 1 % THD): 400 W
- ▶ Potencia de salida del altavoz envolvente** (máx. 1 % THD): 2 x 40 W
- ▶ Potencia de salida del subwoofer**** (máx. 1 % THD): 300 W
- ▶ Transductor de barra de sonido: 6 drivers de pista 44 x 80 mm, 2 drivers de agudos de 25 mm
- ▶ Transductor de altavoz envolvente: 2 drivers de pista de 44 x 90 mm
- ▶ Transductor del subwoofer: 280 mm
- ▶ Batería de litio: 3,635 V, 3283 mAh
- ▶ Tiempo de reproducción del altavoz envolvente extraíble: hasta 10 horas (puede variar según el tipo de contenido y el volumen)

Especificación HDMI

- ▶ Entrada de vídeo HDMI: 1
- ▶ Salida de vídeo HDMI (con canal de retorno de audio mejorado, eARC): 1
- ▶ Versión HDMI HDCP: 2.3
- ▶ Transferencia HDR: HDR10+, Dolby Vision

Especificación de sonido

- ▶ Respuesta de frecuencia: 35 Hz - 20 kHz (-6 dB)
- ▶ Entradas de sonido: Óptica, Bluetooth, USB (la reproducción USB está disponible en la versión estadounidense. Para otras versiones, el USB es solo para servicio).

Especificaciones USB

- ▶ Puerto USB: tipo A
- ▶ Valor nominal de la entrada USB: 5 V CC, 0,5 A
- ▶ Formato de archivo compatible: mp3

Especificaciones inalámbricas

- ▶ Versión Bluetooth: 5.3
- ▶ Perfil Bluetooth: A2DP v1.3, AVRCP v1.5
- ▶ Rango de frecuencia del transmisor Bluetooth: 2400 MHz - 2483,5 MHz
- ▶ Potencia del transmisor Bluetooth: < 15 dBm (EIRP)
- ▶ Red Wi-Fi: IEEE 802.11 a/b/g/n/ac/ax (2,4 GHz/5 GHz)
- ▶ Rango de frecuencia del transmisor wifi 2,4 G: 2412 - 2472 MHz (banda ISM 2,4 GHz, 11 canales en EE. UU. y otros 13 canales en Europa)
- ▶ Potencia del transmisor Wi-Fi 2,4G: < 20 dBm (EIRP)
- ▶ Rango de frecuencia del transmisor Wi-Fi 5G: 5,15 - 5,35 GHz, 5,470 - 5,725 GHz, 5,725 - 5,825 GHz
- ▶ Potencia del transmisor Wi-Fi 5G: 5,15 - 5,25 GHz <23 dBm, 5,25 - 5,35 GHz y 5,470 - 5,725 GHz <20 dBm, 5,725 - 5,825 GHz <14 dBm (EIRP)

Nota: La banda 5,6 - 5,84 GHz estará desactivada cuando se envíe a Australia/Nueva Zelanda.

Dimensiones

- ▶ Dimensiones totales de la barra de sonido (An x Al x P): 1163 x 52 x 128 mm
- ▶ Dimensiones de la barra de sonido (An x Al x P): 854 x 52 x 128 mm
- ▶ Dimensiones del altavoz envolvente extraíble (cada uno) (An x Al x P): 169 x 52 x 128 mm
- ▶ Dimensiones del subwoofer (an. x al. x pr.): 325 x 400 x 325 mm
- ▶ Peso de la barra de sonido: 5 kg
- ▶ Peso del altavoz envolvente extraíble (cada uno): 0,7 kg
- ▶ Peso del subwoofer: 8,1 kg
- ▶ Dimensiones del embalaje (An x Al x P): 980 x 398 x 495 mm
- ▶ Peso del embalaje: 20,8 kg (EMEA/UK/AU/NZ); 18,08 kg (otros)

* RMS, THD 1 %: 390 W

Contenido de la caja

- 1 barra de sonido principal
- 2 altavoces envolventes inalámbricos y extraíbles
- 1 subwoofer inalámbrico
- Mando a distancia con 2 pilas
- Cables de alimentación (hasta 6 unidades en función de las referencias de región)
- 1 cable HDMI
- Kit de 2 soportes de montaje en pared en forma de L (barra principal) + 2 soportes de montaje en pared en forma de U (para altavoces envolventes) con tornillos
- 4 tapas laterales
- Guía de iniciación rápida
- Instrucciones de seguridad y tarjeta de garantía
- Plantilla de montaje en pared

Exención de responsabilidad: Algunas funciones requieren suscripciones o servicios no disponibles en todos los países

TCB

**GRANT OF EQUIPMENT
AUTHORIZATION**

TCB

**Certification
Issued Under the Authority of the
Federal Communications Commission
By:**

Nemko North America, Inc.
303 River Road
Ottawa, Ontario, K1V 1H2
Canada

Date of Grant: 03/26/2025
Application Dated: 03/25/2025

Harman International Industries, Inc
8500 Balboa Boulevard
Northridge, CA 91329

Attention: Terry Shi , Prin.Engineer,Regulatory Compliance,
Quality

NOT TRANSFERABLE


EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: APIBAR800MK2
Name of Grantee: Harman International Industries, Inc
Equipment Class: Part 15 Spread Spectrum Transmitter
Notes: Multi-Channel Soundbar with wireless subwoofer

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
CC	15C	2402.0 - 2480.0	0.016		

Output power listed is conducted. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter, except in accordance with FCC multi-transmitter product procedures. End-users and installers must be provided with antenna installation and transmitter operating conditions for satisfying RF exposure compliance.

CC: This device is certified pursuant to two different Part 15 rules sections.



TCB

**GRANT OF EQUIPMENT
AUTHORIZATION**

TCB

**Certification
Issued Under the Authority of the
Federal Communications Commission
By:**

Nemko North America, Inc.
303 River Road
Ottawa, Ontario, K1V 1H2
Canada

Date of Grant: 03/26/2025
Application Dated: 03/25/2025

Harman International Industries, Inc
8500 Balboa Boulevard
Northridge, CA 91329

Attention: Terry Shi , Prin.Engineer,Regulatory Compliance,
Quality

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.


FCC IDENTIFIER: APIBAR800MK2
Name of Grantee: Harman International Industries, Inc
Equipment Class: Digital Transmission System
Notes: Multi-Channel Soundbar with wireless subwoofer

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
CC	15C	2402.0 - 2480.0	0.01062		
CC	15C	2406.0 - 2474.0	0.00233		
CC MO	15C	2412.0 - 2462.0	0.05834		

Output power listed is conducted. This device supports 20 and 40 MHz bandwidth modes. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter, except in accordance with FCC multi-transmitter product procedures. End-users and installers must be provided with antenna installation and transmitter operating conditions for satisfying RF exposure compliance.

CC: This device is certified pursuant to two different Part 15 rules sections.

MO: This Multiple Input Multiple Output (MIMO) device was evaluated for multiple transmitted signals as indicated in the filing.



TCB

**GRANT OF EQUIPMENT
AUTHORIZATION**

TCB

**Certification
Issued Under the Authority of the
Federal Communications Commission
By:**

**Nemko North America, Inc.
303 River Road
Ottawa, Ontario, K1V 1H2
Canada**

**Date of Grant: 03/26/2025
Application Dated: 03/25/2025**

**Harman International Industries, Inc
8500 Balboa Boulevard
Northridge, CA 91329**

**Attention: Terry Shi , Prin.Engineer,Regulatory Compliance,
Quality**

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: APIBAR800MK2
Name of Grantee: Harman International Industries, Inc
Equipment Class: Unlicensed National Information Infrastructure TX
Notes: Multi-Channel Soundbar with wireless subwoofer

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
CC MO	15E	5180.0 - 5240.0	0.04753		
CC MO ND	15E	5260.0 - 5320.0	0.04808		
CC MO ND	15E	5500.0 - 5720.0	0.04305		
CC MO	15E	5745.0 - 5825.0	0.03908		

Output power listed is conducted. This device supports 20, 40 and 80 MHz bandwidth modes. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter, except in accordance with FCC multi-transmitter product procedures. End-users and installers must be provided with antenna installation and transmitter operating conditions for satisfying RF exposure compliance.

- CC: This device is certified pursuant to two different Part 15 rules sections.
- MO: This Multiple Input Multiple Output (MIMO) device was evaluated for multiple transmitted signals as indicated in the filing.
- ND: This UNII device complies with the Transmit Power Control (TPC) and Dynamic Frequency Selection (DFS) requirements in Section 15.407(h).

TCB

**GRANT OF EQUIPMENT
AUTHORIZATION**

TCB

Certification
Issued Under the Authority of the
Federal Communications Commission

By:

Nemko North America, Inc.
303 River Road
Ottawa, Ontario, K1V 1H2
Canada

Date of Grant: 03/26/2025
Application Dated: 03/26/2025

Harman International Industries, Inc
8500 Balboa Boulevard
Northridge, CA 91329

**Attention: Terry Shi , Prin.Engineer,Regulatory
Compliance, Quality**


NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: APIBAR800SUR2
Name of Grantee: Harman International Industries, Inc
Equipment Class: Digital Transmission System
Notes: Multi-Channel Soundbar with wireless subwoofer

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	15C	2406.0 - 2474.0	0.003		

Power output listed is conducted. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other transmitter, except in accordance with FCC multi-transmitter product procedures. End-users and installers must be provided with antenna installation instructions and transmitter operating conditions for satisfying RF exposure compliance.



TCB

**GRANT OF EQUIPMENT
AUTHORIZATION**

TCB

Certification
Issued Under the Authority of the
Federal Communications Commission
By:

Nemko North America, Inc.
303 River Road
Ottawa, Ontario, K1V 1H2
Canada

Date of Grant: 03/26/2025
Application Dated: 03/26/2025

Harman International Industries, Inc
8500 Balboa Boulevard
Northridge, CA 91329

**Attention: Terry Shi , Prin.Engineer,Regulatory
Compliance, Quality**


NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: APIBAR800SUB2
Name of Grantee: Harman International Industries, Inc
Equipment Class: Digital Transmission System
Notes: Multi-Channel Soundbar with wireless subwoofer

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	15C	2406.0 - 2474.0	0.004		

Power output listed is conducted. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other transmitter, except in accordance with FCC multi-transmitter product procedures. End-users and installers must be provided with antenna installation instructions and transmitter operating conditions for satisfying RF exposure compliance.





Declaration of Conformity

No. DDT-CE24111416-2E01

We hereby certify that the following product has been tested by Guangdong Dongdian Testing Service Co., Ltd. with the listing standards and the test results conformity with those standards.

Applicant : Harman International Industries, Inc.
Address : 8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Manufacturer : Harman International Industries, Inc.
Address : 8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Equipment under test : Multi-Channel Soundbar with wireless subwoofer
BAR 800MK2(For Soundbar), BAR 800MK2 SURROUND(For Detachable wireless speaker), BAR 800MK2 SUB(For Wireless Subwoofer).
Model Number : BAR 700MK2(For Soundbar), BAR 700MK2 SURROUND(For Detachable wireless speaker), BAR 700MK2 SUB(For Wireless Subwoofer)
Test Standards : FCC Rules and Regulations Part 15 Subpart B,
ICES-003 Issue 7, ANSI C63.4-2014,
ANSI C63.4a-2017, ICES-GEN Issue 2
Test Report No. : DDT-RE24111416-2E01



Damon Hu/EMC Manager

Date of Issue:2025/03/06

The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.

Guangdong Dongdian Testing Service Co., Ltd.

Unit 2, Building 1, No.17, Zongbu 2nd Road, Songshan Lake Park, Dongguan, Guangdong, China,
523808 Tel: +86 0769-38828678 <http://www.dgddt.com>

**FCC AND ISED CERTIFICATION TEST REPORT**

Applicant	: Harman International Industries, Inc.
Address of Applicant	: 8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Manufacturer	: Harman International Industries, Inc.
Address of Manufacturer	: 8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Equipment under Test	: Multi-Channel Soundbar with wireless subwoofer
Model No.	: BAR 700MK2, BAR 800MK2
FCC ID	: APIBAR800MK2
IC	: 6132A-BAR800MK2
Test Standard(s)	: FCC Rules and Regulations Part 15 Subpart C, RSS-247 Issue 3 August 2023, ANSI C63.10-2020, RSS-Gen Issue 5, Apr. 2018, Amendment 2 (February 2021)
Report No.	: DDT-RE24111416-1E15
Issue Date	: 2025/03/12
Issue By	: Guangdong Dongdian Testing Service Co., Ltd. Unit 2, Building 1, No. 17, Zongbu 2nd Road, Songshan Lake Park, Dongguan, Guangdong, China, 523808

REPORT

**FCC AND ISED CERTIFICATION TEST REPORT**

Applicant	: Harman International Industries, Inc.
Address of Applicant	: 8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Manufacturer	: Harman International Industries, Inc.
Address of Manufacturer	: 8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Equipment under Test	: Multi-Channel Soundbar with wireless subwoofer
Model No.	: BAR 700MK2, BAR 800MK2
FCC ID	: APIBAR800MK2
IC	: 6132A-BAR800MK2
Test Standard(s)	: FCC Rules and Regulations Part 15 Subpart C, RSS-247 Issue 3 August 2023, ANSI C63.10:2020, RSS-Gen Issue 5, Apr. 2018, Amendment 2 (February 2021)
Report No.	: DDT-RE24111416-1E16
Issue Date	: 2025/03/12
Issue By	: Guangdong Dongdian Testing Service Co., Ltd. Unit 2, Building 1, No. 17, Zongbu 2nd Road, Songshan Lake Park, Dongguan, Guangdong, China, 523808

REPORT

**FCC AND ISED CERTIFICATION TEST REPORT**

Applicant	:	Harman International Industries, Inc.
Address of Applicant	:	8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Manufacturer	:	Harman International Industries, Inc.
Address of Manufacturer	:	8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Equipment under Test	:	Multi-Channel Soundbar with wireless subwoofer
Model No.	:	BAR 700MK2, BAR 800MK2
FCC ID	:	APIBAR800MK2
IC	:	6132A-BAR800MK2
Test Standard(s)	:	FCC Rules and Regulations Part 15 Subpart C, RSS-247 Issue 3 August 2023, ANSI C63.10:2020, RSS-Gen Issue 5, Apr. 2018, Amendment 2 (February 2021)
Report No.	:	DDT-RE24111416-1E17
Issue Date	:	2025/03/12
Issue By	:	Guangdong Dongdian Testing Service Co., Ltd. Unit 2, Building 1, No. 17, Zongbu 2nd Road, Songshan Lake Park, Dongguan, Guangdong, China, 523808

REPORT



FCC AND ISED CERTIFICATION TEST REPORT

Applicant	: Harman International Industries, Inc.
Address of Applicant	: 8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Manufacturer	: Harman International Industries, Inc.
Address of Manufacturer	: 8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Equipment under Test	: Multi-Channel Soundbar with wireless subwoofer
Model No.	: BAR 700MK2, BAR 800MK2
FCC ID	: APIBAR800MK2
IC	: 6132A-BAR800MK2
Test Standard(s)	: FCC Rules and Regulations Part 15 Subpart C, RSS-247 Issue 3 August 2023, ANSI C63.10:2013, RSS-Gen Issue 5, Apr. 2018, Amendment 2 (February 2021)
Report No.	: DDT-RE24111416-1E18
Issue Date	: 2025/03/12
Issue By	: Guangdong Dongdian Testing Service Co., Ltd. Unit 2, Building 1, No. 17, Zongbu 2nd Road, Songshan Lake Park, Dongguan, Guangdong, China, 523808

REPORT



FCC AND ISED CERTIFICATION TEST REPORT

Applicant	: Harman International Industries, Inc.
Address of Applicant	: 8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Manufacturer	: Harman International Industries, Inc.
Address of Manufacturer	: 8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Equipment under Test	: Multi-Channel Soundbar with wireless subwoofer
Model No.	: BAR 700MK2, BAR 800MK2
FCC ID	: APIBAR800MK2
IC	: APIBAR800MK2
Test Standard(s)	: FCC Rules and Regulations Part 15 Subpart E, RSS-247 Issue 3 August 2023, ANSI C63.10:2020, 789033 D02 General U-NII Test Procedures New Rules v02r01, 662911 D01 Multiple Transmitter Output v02r01, RSS-Gen Issue 5 April 2018
Report No.	: DDT-RE24111416-1E19
Issue Date	: 2025/03/12
Issue By	: Guangdong Dongdian Testing Service Co., Ltd. Unit 2, Building 1, No. 17, Zongbu 2nd Road, Songshan Lake Park, Dongguan, Guangdong, China, 523808

REPORT

**FCC AND ISED CERTIFICATION TEST REPORT**

Applicant	: Harman International Industries, Inc.
Address of Applicant	: 8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Manufacturer	: Harman International Industries, Inc.
Address of Manufacturer	: 8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Equipment under Test	: Multi-Channel Soundbar with wireless subwoofer
Model No.	: BAR 700MK2 SURROUND, BAR 800MK2 SURROUND
FCC ID	: APIBAR800SUR2
IC	: 6132A-BAR800SUR2
Test Standard(s)	: FCC Rules and Regulations Part 15 Subpart C, RSS-247 Issue 3 August 2023, ANSI C63.10:2020, RSS-Gen Issue 5, Apr. 2018, Amendment 2 (February 2021)
Report No.	: DDT-RE24111416-1E20
Issue Date	: 2025/03/12
Issue By	: Guangdong Dongdian Testing Service Co., Ltd. Unit 2, Building 1, No. 17, Zongbu 2nd Road, Songshan Lake Park, Dongguan, Guangdong, China, 523808

REPORT

**FCC AND ISED CERTIFICATION TEST REPORT**

Applicant	:	Harman International Industries, Inc.
Address of Applicant	:	8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Manufacturer	:	Harman International Industries, Inc.
Address of Manufacturer	:	8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Equipment under Test	:	Multi-Channel Soundbar with wireless subwoofer
Model No.	:	BAR 700MK2 SURROUND, BAR 800MK2 SURROUND
FCC ID	:	APIBAR800SUR2
IC	:	6132A-BAR800SUR2
Test Standard(s)	:	FCC Rules and Regulations Part 15 Subpart C, RSS-247 Issue 3 August 2023, ANSI C63.10-2020, RSS-Gen Issue 5, Apr. 2018, Amendment 2 (February 2021)
Report No.	:	DDT-RE24111416-1E21
Issue Date	:	2025/03/12
Issue By	:	Guangdong Dongdian Testing Service Co., Ltd. Unit 2, Building 1, No. 17, Zongbu 2nd Road, Songshan Lake Park, Dongguan, Guangdong, China, 523808

REPORT

**FCC AND ISED CERTIFICATION TEST REPORT**

Applicant	: Harman International Industries, Inc.
Address of Applicant	: 8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Manufacturer	: Harman International Industries, Inc.
Address of Manufacturer	: 8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Equipment under Test	: Multi-Channel Soundbar with wireless subwoofer
Model No.	: BAR 700MK2 SUB, BAR 800MK2 SUB
FCC ID	: APIBAR800SUB2
IC	: 6132A-BAR800SUB2
Test Standard(s)	: FCC Rules and Regulations Part 15 Subpart C, RSS-247 Issue 3 August 2023, ANSI C63.10:2020, RSS-Gen Issue 5, Apr. 2018, Amendment 2 (February 2021)
Report No.	: DDT-RE24111416-1E22
Issue Date	: 2025/03/12
Issue By	: Guangdong Dongdian Testing Service Co., Ltd. Unit 2, Building 1, No. 17, Zongbu 2nd Road, Songshan Lake Park, Dongguan, Guangdong, China, 523808

REPORT

**RF EXPOSURE REPORT**

Applicant	:	Harman International Industries, Inc.
Address of Applicant	:	8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Manufacturer	:	Harman International Industries, Inc.
Address of Manufacturer	:	8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Equipment under Test	:	Multi-Channel Soundbar with wireless subwoofer
Model No.	:	BAR 700MK2, BAR 800MK2
FCC ID	:	APIBAR800MK2
Test Standard(s)	:	KDB447498 D01 General RF Exposure Guidance v06
Report No.	:	DDT-RE24111416-1E23
Issue Date	:	2025/03/12
Issue By	:	Guangdong Dongdian Testing Service Co., Ltd. Unit 2, Building 1, No. 17, Zongbu 2nd Road, Songshan Lake Park, Dongguan, Guangdong, China, 523808

REPORT

**RF EXPOSURE REPORT**

Applicant	:	Harman International Industries, Inc.
Address of Applicant	:	8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Manufacturer	:	Harman International Industries, Inc.
Address of Manufacturer	:	8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Equipment under Test	:	Multi-Channel Soundbar with wireless subwoofer
Model No.	:	BAR 700MK2 SURROUND, BAR 800MK2 SURROUND
FCC ID	:	APIBAR800SUR2
Test Standard(s)	:	KDB447498 D01 General RF Exposure Guidance v06
Report No.	:	DDT-RE24111416-1E24
Issue Date	:	2025/03/12
Issue By	:	Guangdong Dongdian Testing Service Co., Ltd. Unit 2, Building 1, No. 17, Zongbu 2nd Road, Songshan Lake Park, Dongguan, Guangdong, China, 523808

REPORT

**RF EXPOSURE REPORT**

Applicant	: Harman International Industries, Inc.
Address of Applicant	: 8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Manufacturer	: Harman International Industries, Inc.
Address of Manufacturer	: 8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Equipment under Test	: Multi-Channel Soundbar with wireless subwoofer
Model No.	: BAR 700MK2 SURROUND, BAR 800MK2 SURROUND
FCC ID	: APIBAR800SUR2
Test Standard(s)	: KDB447498 D01 General RF Exposure Guidance v06
Report No.	: DDT-RE24111416-1E25
Issue Date	: 2025/03/12
Issue By	: Guangdong Dongdian Testing Service Co., Ltd. Unit 2, Building 1, No. 17, Zongbu 2nd Road, Songshan Lake Park, Dongguan, Guangdong, China, 523808

REPORT



RF EXPOSURE REPORT

Applicant	:	Harman International Industries, Inc.
Address of Applicant	:	8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Manufacturer	:	Harman International Industries, Inc.
Address of Manufacturer	:	8500 Balboa Boulevard, Northridge, CA 91329, UNITED STATES
Equipment under Test	:	Multi-Channel Soundbar with wireless subwoofer
Model No.	:	BAR 700MK2 SUB, BAR 800MK2 SUB
FCC ID	:	APIBAR800SUB2
Test Standard(s)	:	KDB447498 D01 General RF Exposure Guidance v06
Report No.	:	DDT-RE24111416-1E26
Issue Date	:	2025/03/12
Issue By	:	Guangdong Dongdian Testing Service Co., Ltd. Unit 2, Building 1, No. 17, Zongbu 2nd Road, Songshan Lake Park, Dongguan, Guangdong, China, 523808

REPORT