

**PRODUCTO JBL PARTYBOX ENCORE ESSENTIAL 2****(en todas sus versiones de colores)****Información comercial del equipo y del fabricante o importador en Chile:**

- **Fecha:** 22 – FEBRERO - 2026
- **Nombre comercial del equipo:** JBL PARTYBOX ENCORE ESSENTIAL 2
- **Fabricante:** Harman International Industries Inc.
- **Importador o representante en Chile:** Intcomex Chile -
- **Correo electrónico de contacto:** consultas@intcomex.com
- **Sitio web:** <https://store.intcomex.com/es-xcl/home>

	Información	Página / Documento
Tipo de equipo	Altavoz / Parlante Inalámbrico	
Marca	JBL	
Modelo	PARTYBOX ENCORE ESSENTIAL 2	
Tecnología o modulación	Bluetooth® 5.4 A2DP 1.4, AVRCP 1.6 (SW), TMAP 1.0, PBP 1.0	2-5
Frecuencias	2.402 ghZ – 2.4835 ghZ	2- 5
Ganancia de Antena (dBi)	2.18 dBi	- DSS_SZCR25040017290 1 FCC SDOC RPT - DSS_SZCR25040017290 2 BT RPT - DSS_SZCR25040017290 3 BLE RPT
P.I.R.E	≤ 16 dBm	
Módulos	GFSK, $\pi/4$ DQPSK, 8 DPSK	
Test Report	Informe de ensayo o test report	Documentos adjuntos TestReports- JBLPBEncoreEssential2

Declaración de conformidad:

Por este medio se declara que el equipo previamente individualizado cumple con las disposiciones establecidas en la Norma Técnica de Equipos de alcance reducido, aprobada por la resolución exenta N° 1.985, de 2017 y resolución exenta N° 737 de 2025, de la Subsecretaría de Telecomunicaciones, se anexan ensayos de laboratorio y la documentación asociada.

Santiago de Chile
Febrero 2026.-



Características y ventajas

El JBL Pro Sound obtiene un AI Sound Boost

Baladas pop, ritmos lentos y todo lo demás, tenemos el sonido para hacer brillar tu lista de reproducción. Siente esa potencia adicional en tu pecho mientras los altavoces de agudos de cúpula de seda y los potentes altavoces de graves aportan esos altibajos épicos y bajos profundos. ¿Quieres subir aún más el volumen? Tu música seguirá sonando nítida, ya que el AI Sound Boost brinda un sonido más potente con menos distorsión.

Espectáculo de luces dinámico

¿Es realmente una fiesta sin un espectáculo de luces? Baila toda la noche con patrones de luz brillantes y efectos estroboscópicos que envidiaría cualquier club.

Hasta 15 horas de reproducción continua

Mantén las buenas vibraciones con una sola carga de hasta 15 horas de reproducción.

Conexión de varios altavoces mediante Auracast™

Las fiestas más grandes requieren un sonido mayor. Pánea dos PartyBox Encore Essential 2 para obtener verdaderas vibraciones estéreo a través de Auracast™ o conecta varios altavoces compatibles con JBL Auracast™ de forma inalámbrica y deja que tu música crezca al tamaño de tu fiesta.

Entradas de micrófono y guitarra

Incorpora talento en vivo a la mezcla. Es fácil cantar y tocar usando las entradas de guitarra y micrófono. Con la ecualización de karaoke y el espectáculo de luces incorporado, todos sonarán y se verán como una superestrella.

Controla tu fiesta desde la aplicación JBL PartyBox

No se sientas atrapado en el deber de niñera con altavoz. Controla tu música, la configuración del ecualizador y el espectáculo de luces desde la aplicación JBL PartyBox, dondequiera que te lleve la fiesta.

IPX4 es a prueba de salpicaduras

Los derrames y las salpicaduras ocurren... no te preocupes por el desastre. El JBL PartyBox Encore Essential 2 es a prueba de salpicaduras IPX4, por lo que tu flujo nunca se interrumpirá.

Plástico reciclado, además de embalaje de papel certificado por la FSC

El JBL PartyBox Encore Essential 2 incorpora plástico reciclado posconsumo. También está empacado en papel certificado FSC impreso con tinta de soya.

Especificaciones técnicas

- ▶ Transductores: 1 altavoz de 5.25 in (135 mm), 2 altavoces de agudos de cúpula de 0.75 in (20 mm)
- ▶ Potencia de salida: 100 W RMS (IEC60268)
- ▶ Entrada de energía: 100 - 240V ~ 50/60 Hz
- ▶ Respuesta de frecuencia: 40 Hz - 20 kHz (-8dB)
- ▶ Relación señal/ruido: > 80dB
- ▶ Formato USB: FAT16, FAT32
- ▶ Versión de Bluetooth®: 5.4
- ▶ Perfiles de Bluetooth®: A2DP V1.4, AVRCP V1.6(SW), TMAP1.0, PBP1.0
- ▶ Intervalo de frecuencia del transmisor Bluetooth®: 2.402 GHZ ~ 2.4835 GHZ
- ▶ Potencia del transmisor Bluetooth®: ≤ 16 dBm (EIRP)
- ▶ Modulación del transmisor Bluetooth®: GFSK, π/4 DQPSK, 8DPSK
- ▶ Formatos compatibles con USB (no para la región EMEA): .MP3, .WAV, .FLAC
- ▶ Entrada auxiliar: 370 mV RMS (conector de 3.5 mm)
- ▶ Entrada de micrófono: 20 mV RMS
- ▶ Entrada de guitarra: 100 mV RMS
- ▶ Entrada Bluetooth/USB: -9 dBFS
- ▶ Dimensiones del producto (ancho x alto x profundidad): 319.5 mm x 342 mm x 280.4 mm (12.58" x 13.46" x 10.25")
- ▶ Peso neto: 6.2 kg/13.67 lb
- ▶ Dimensión del embalaje: (ancho x alto x profundidad): 400 mm x 365 mm x 350 mm/15.75" x 14.37" x 13.78"
- ▶ Peso neto: 8.25 kg/18.19 lb
- ▶ Tipo de batería: Batería de iones de litio, 34Wh (7.4V/4722 mAh)
- ▶ Tiempo de carga de la batería: < 3.5 horas (modo de apagado del altavoz)
- ▶ Tiempo de reproducción de música: hasta 15 horas (según el nivel de volumen y el contenido del audio)
- ▶ Tipo de cable: Cable de alimentación de CA en ángulo recto (el tipo varía según la región)
- ▶ Longitud del cable: 2.0 m/6.6 pies
- ▶ Salida de carga USB: 11 V/2A (máx.) (modo de apagado del altavoz)

Contenido de la caja

- 1 x altavoz JBL PartyBox Encore Essential 2
- 1 x guía de inicio rápido
- 1 x Instrucciones de seguridad y tarjeta de garantía
- Cable de alimentación de CA: la cantidad y el tipo de enchufe varían según las regiones.



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400172901

Page: 1 of 42

TEST REPORT

Application No.: SZCR2504001729AT
Applicant: Harman International Industries, Inc.
Address of Applicant: 8500 Balboa Boulevard, Northridge, California, 91329, United States
Manufacturer: Harman International Industries, Inc.
Address of Manufacturer: 8500 Balboa Boulevard, Northridge, California, 91329, United States
Equipment Under Test (EUT):
EUT Name: Bluetooth Speaker
Model No.: PARTYBOX ENCORE ESSENTIAL 2
Trade Mark: JBL
Standard(s): 47 CFR Part 15, Subpart B
Date of Receipt: 2025-04-30
Date of Test: 2025-05-15 to 2025-05-19
Date of Issue: 2025-05-26

Test Result:	Pass*
--------------	-------

* In the configuration tested, the EUT complied with the standards specified above.

Keny Xu
EMC Laboratory ManagerSGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch EMC Test Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/cn/Tests-and-Certifications>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing, investigation report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Dispatch@sgs.com

No. 1 Building, B-10, Midea Building, Xixiang Technology Park, Xixiang District, Shenzhen, Guangdong, China 518057 t: (86-755) 26012053 f: (86-755) 26715594 www.sgs.com.cn
中国·广东·深圳市福田区科技园中国B-10栋1号厂房 邮编: 518057 t: (86-755) 26012053 f: (86-755) 26715594 sgschina@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400172902

Page: 1 of 13

TEST REPORT

Application No.: SZCR2504001729AT
Applicant: Harman International Industries, Inc.
Address of Applicant: 8500 Balboa Boulevard, Northridge, California, 91329, United States
Manufacturer: Harman International Industries, Inc.
Address of Manufacturer: 8500 Balboa Boulevard, Northridge, California, 91329, United States
Equipment Under Test (EUT):
EUT Name: Bluetooth Speaker
Model No.: PARTYBOX ENCORE ESSENTIAL 2
Trade Mark: JBL
Standard(s) : 47 CFR Part 15, Subpart C 15.247
Date of Receipt: 2025-04-30
Date of Test: 2025-05-15
Date of Issue: 2025-05-26

Test Result:	Pass*
---------------------	--------------

* In the configuration tested, the EUT complied with the standards specified above.

Keny Xu
EMC Laboratory ManagerSGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch EMC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and each sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Document@sgs.com

No.1 Biding, 8-10, Wuli Road, Sino-US Science Park, Nanshan District, Shenzhen, Guangdong, China 518057 | (86-755) 28110993 | (86-755) 26718594 | www.sgs.com
中国·广东·深圳市福田区深南大道8-10号广生 邮编: 518057 | (86-755) 28110993 | (86-755) 26718594 | sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400172903

Page: 1 of 13

TEST REPORT

Application No.: SZCR2504001729AT
Applicant: Harman International Industries, Inc.
Address of Applicant: 8500 Balboa Boulevard, Northridge, California, 91329, United States
Manufacturer: Harman International Industries, Inc.
Address of Manufacturer: 8500 Balboa Boulevard, Northridge, California, 91329, United States
Equipment Under Test (EUT):
EUT Name: Bluetooth Speaker
Model No.: PARTYBOX ENCORE ESSENTIAL 2
Trade Mark: JBL
Standard(s): 47 CFR Part 15, Subpart C 15.247
Date of Receipt: 2025-04-30
Date of Test: 2025-05-15
Date of Issue: 2025-05-26

Test Result:	Pass*
---------------------	--------------

* In the configuration tested, the EUT complied with the standards specified above.

Keny Xu
EMC Laboratory Manager



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch EMC Test Lab

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Technical-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and each sample(s) are retained for 56 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 6307 9443, or email: CN.Document@sgs.com

No. 1 Building, 9/F, Wanda Jiahe, Jiahe Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 | (86-755) 29812053 | (86-755) 26710594 | www.sgs.com.cn
中国·广东·深圳市南山区科技园中区4-18栋9号厂房 邮编: 518057 | (86-755) 29812053 | (86-755) 26710594 | sgs.china@sgs.com